

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

Tobacco Stocks Report as of January 1, 1951




U. S. DEPARTMENT OF AGRICULTURE
PRODUCTION AND MARKETING ADMINISTRATION

Washington, D. C.
February 21, 1951

CONTENTS

	Page
Discussion - - - - -	1 - 3
Conversion factors for adjusting for losses in weight - - - - -	4
Stocks of leaf tobacco, by types, converted to a FARM-SALES-WEIGHT equivalent - - - - -	5
Stocks of leaf tobacco, by types and groups of grades - - - - -	6-13
Stocks of leaf tobacco, by types, showing separately quantities owned by dealers and manufacturers - - - - -	14
Stocks of leaf tobacco, summary by types - - - - -	15

Agriculture - Washington



EXPLANATION OF GROUP SYMBOLS

GROUPS OF TYPES 11, 12, 13, and 14:

A-Wrappers
B-Leaf and smoking leaf
C-Cutters
X-Lugs and primings
S-Scrap
N-Nondescript

GROUPS OF TYPES 21, 22, 23, and 24:

A-Wrappers
B-Heavy leaf
C-Thin leaf
X-Lugs
S-Scrap
N-Nondescript

GROUPS OF TYPE 31:

A-Wrappers
B-Bright leaf, red leaf, and tips
C-Lugs and cutters
X-Trash and flyings
S-Scrap
N-Nondescript

GROUPS OF TYPE 32:

B-Heavy leaf or dull crop
C-Thin leaf or bright crop
X-Seconds and ground leaves
S-Scrap
N-Nondescript

GROUPS OF TYPES 35, 36, and 37:

A-Wrappers
B-Heavy leaf
C-Thin leaf
X-Lugs
S-Scrap
N-Nondescript

GROUPS OF TYPE 41:

B-Binders or tops
C-Fillers (farm wrappers)
X-Crop-run and stemming grades
Y-Farm fillers or ground leaves
S-Scrap
N-Nondescript

GROUPS OF TYPES 42, 43, and 44:

C-Fillers (farm wrappers)
X-Crop-run and stemming grades
Y-Farm fillers or ground leaves
S-Scrap
N-Nondescript

GROUPS OF TYPE 46:

C-Superior
X-Inferior
Y-Defectuoso
S-Scrap (Picadura)
N-Nondescript

GROUPS OF TYPES 51, 52:

A-Wrappers
B-Binders, seconds, and brokes
C-Fillers and short darks
X-Stemming grades
S-Scrap
N-Nondescript

GROUPS OF TYPE 53:

B-Binders, seconds, and brokes
X-Crop-run and stemming grades
S-Scrap
N-Nondescript

GROUPS OF TYPES 54 and 55:

B-Binders
C-Fillers
X-Crop-run and stemming grades
S-Scrap
N-Nondescript

GROUPS OF TYPE 56:

B-Binders
S-Scrap
N-Nondescript

GROUPS OF TYPES 61 and 62:

A-Wrappers
B-Stout wrappers and binders
C-Fillers or tips
S-Scrap
N-Nondescript

GROUPS OF TYPES 81, 82, and 83:

A-Wrappers
C-Fillers
S-Scrap

STOCKS OF LEAF TOBACCO OWNED BY DEALERS AND MANUFACTURERS

Total Stocks Up From A Year Ago

Stocks of all types ^{1/} of leaf tobacco totaled 3,988 million pounds (farm-sales-weight) on January 1, 1951. ^{2/} This is 108 million pounds higher than a year ago when 3,880 million pounds were reported by dealers and manufacturers in the United States and Puerto Rico.

Prior to January 1, slightly over 3/4 of the 1950 production, estimated at 2,036 million pounds, had entered stocks. This includes all of the flue-cured crop and over one-half of the Burley production. Marketings totaled about 780 million pounds during the fourth quarter.

For the southern types, stocks of flue-cured tobacco increased around 5 percent from a year ago, and Maryland holdings jumped 17 percent. Burley stocks decreased slightly from the previous January 1 as less of the new crop was in stocks by this date. Fire-cured stocks showed a small increase while the level of dark air-cured holdings was about the same as a year earlier. For the cigar-leaf types, holdings of the filler types were up about 4 percent and of the binder types 7 percent, while stocks of shade-grown tobacco were about the same as were on hand a year ago.

^{1/} Figures quoted for type totals in this summary are the farm-sales-weight equivalent of reported stocks except foreign-grown leaf which is converted to an unstemmed equivalent basis only. Tables in the body of the report show stocks on a farm-sales-weight basis; stocks in detail on a reported weight basis, subdivided according to recognized groupings; and stocks owned by dealers and manufacturers, separately.

^{2/} The general instructions for filing the tobacco stocks reports, required of dealers and manufacturers by the United States Department of Agriculture, specify that the report shall be made as of the opening of business on the first day of each quarter.

CIGARETTE-LEAF STOCKS

Flue-cured, Maryland, and Turkish Stocks Up; Burley Slightly Lower

Dealers and manufacturers stocks of flue-cured tobacco totaled 2,090 million pounds as of January 1, 1951 compared with 1,993 million a year earlier. Marketing of the 1950 flue-cured crop of 1,256 million pounds was completed in December. Exports of flue-cured tobacco during the July-December 1950 period amounted to 296 million pounds or only slightly less than during the corresponding period of 1949.

Stocks of Burley leaf were 1,119 million pounds this January 1 for a decrease of 21 million from a year ago. Marketing of the 1950 crop began in late November and sales prior to January 1 totaled about 284 million pounds - 22 million less than had been marketed during the same period from the previous year's crop. Estimated production of Burley tobacco is 499 million pounds for the 1950 crop as compared with 560 million for the 1949 crop.

Maryland tobacco holdings were 53.4 million pounds which was considerably above stocks of 45.5 million last January 1. Stocks were at the highest level on record for this quarter. Marketing of the 1950 crop of 40.0 million pounds will not begin until the second quarter of this year.

Stocks of foreign-grown cigarette and smoking tobacco (Turkish and other) totaled 150.3 million pounds, or approximately 9 million above holdings of this type on January 1, 1950.

DARK TOBACCO STOCKS

Fire-cured Stocks Show Small Increase From A Year Ago; Dark Air-cured About Same

Fire-cured tobacco stocks were 150.8 million pounds as of January 1, 1951 -- an increase of 2.9 million over a year ago. Holdings of Type 21 were practically the same as on the previous January 1 while stocks of Types 22 and 23 were slightly larger. The Virginia fire-cured markets opened in December and slightly over 4.0 million pounds were sold before January 1. This represented all the fire-cured tobacco entering stocks during the fourth quarter as Types 22 and 23 markets did not open until January. The estimated 1950 production of fire-cured tobacco is 57.7 million pounds. The fire-cured leaf holdings were divided as follows: Virginia fire-cured 22.9 million pounds, Eastern District Tennessee and Kentucky fire-cured 85.1 million, Western District 42.4 million, and Henderson Stemming 0.3 million.

Holdings of dark air-cured tobacco of 75.1 million pounds on January 1, 1951 were about the same as a year ago. However, sales of the new crop prior to January 1 totaled only 5.1 million pounds compared with 11.1 million for the previous year. Total production in 1950 is estimated at 30.6 million pounds. Dark air-cured stocks consisted of 39.1 million pounds of One Sucker, 32.9 million of Green River, and 3.1 million of Virginia sun-cured.

CIGAR-LEAF STOCKS

Cigar Filler and Binder Stocks Larger
Shade-grown Same as A Year Earlier

Inventories of the domestic cigar types totaled 330.1 million pounds (farm-sales-weight) on January 1, 1951 compared with 316.3 million a year ago. Larger holdings of the filler and binder types accounted for the increase as stocks of shade tobacco were about the same as those held the previous January 1. Stocks of foreign-grown cigar tobacco were 16.0 million pounds (unstemmed equivalent) - a decrease of 3.3 million from the previous January 1 level.

Stocks of the cigar-filler types totaled 173.3 million pounds for an increase of 5.9 million from the previous January 1 level. Stocks of Pennsylvania Seedleaf and the Ohio filler types were larger, whereas Puerto Rican holdings had decreased somewhat from a year earlier. Pennsylvania Seedleaf stocks on January 1 were 104.0 million pounds, the Ohio filler types 27.2 million, and Puerto Rican 42.1 million. Of the Puerto Rican stocks, 29.3 million pounds were located in the Continental United States and 12.8 million in Puerto Rico.

Cigar-binder stocks were reported as 130.9 million pounds this January 1 compared with 122.8 million a year earlier. Holdings of Type 55 tobacco showed the largest increase, but stocks of Types 51 and 52 were also larger than a year ago. Changes in stocks from the previous quarter indicate that less Type 52 from the 1950 crop entered stocks prior to January 1 than from the previous year's crop, whereas other types appear comparable. The binder-type stocks consisted of 27.7 million pounds of Connecticut Valley Broadleaf, 25.3 million of Connecticut Valley Havana Seed, 1.4 million of New York and Pennsylvania Havana Seed, 36.1 million of Southern Wisconsin and 40.3 million of Northern Wisconsin.

Shade-grown stocks were 26.0 million pounds as of January 1, 1951 - practically the same as a year earlier. A small decrease in stocks of Type 61 was about balanced by larger holdings of Type 62. Stocks of Connecticut Valley shade were 17.3 million pounds and Georgia-Florida shade 8.7 million.

Stocks of Cuba (Havana) leaf were 15.0 million pounds on January 1, 1951, or 3.8 million less than were on hand a year earlier. Stocks of other foreign-grown types were 0.9 million of Sumatra and Java, 0.1 million of Philippine Islands (Manila), and less than 0.1 million of Other Foreign-grown cigar-leaf.

Table 1.—Average percentage of weight remaining after handling, sweating, drying, and stemming for all types of tobacco, and factors used for adjusting stocks reported by dealers and manufacturers to a farm-sales weight equivalent.¹

SOUTHERN TYPES (11-37)

Type No.	Yield realized from farm-sales weight to:			Stemming			Factors used to multiply by to convert reported stocks to farm-sales weight equivalent: 1/
	Packed in domestic order			Packed	Yield from actual	Yield from farm-sales weight	
	To the end of:	One year	Two years	Three years	Export	Time of operation	
Type No.	weight	in storage	in storage	in storage	order	operation	
Flue-cured	11-14	90.0	89.1	88.7	88.0	78.0	1.12
Virginia fire-cured	21	85.0	84.2	83.4	83.0	83.0	1.18
Tenn. & Ky. fire-cured	22-23	98.5	94.6	92.7	91.8	95.0	1.04
Henderson Stemming	24	90.0	87.3	86.0	85.1	86.0	1.125
Burley	31	90.0	88.2	87.3	86.4	89.0	1.12
Southern Maryland	32	100.0	96.0	94.1	93.2	100.0	1.02
One Sucker	35	92.0	90.2	88.8	87.9	90.0	1.09
Green River	36	90.0	87.3	86.0	85.1	86.0	1.13
Virginia sun-cured	37	89.0	88.1	87.2	86.8	85.0	1.13

CIGAR LEAF TYPES (41-62)

Type No.	Yield realized from farm-sales weight to:			Stemming			Factors used to multiply by to convert reported stocks to farm-sales weight equivalent: 1/
	Sampling			Packed	Yield from actual	Yield from farm-sales weight	
	To the end of:	One year	Two years	Three years	time of storage	operation	
Type No.	weight	in storage	in storage	in storage	in storage	operation	
Pennsylvania Seedleaf	41	97.3	86.0	84.0	82.0	80.6	72.0
Gebhardt	42	(3)	85.6	83.3	80.9	79.3	73.0
Zimmer	43	(3)	85.4	83.0	80.8	78.9	71.5
Dutch	44	(3)	86.5	84.1	81.7	80.0	70.5
Puerto Rico	46	88.0	87.1	83.6	82.0	—	78.5
Connecticut Broadleaf	51	97.0	87.4	85.4	83.1	81.1	77.5
Conn. Havana Seed	52	97.0	87.4	85.0	83.1	81.2	77.0
N. Y. & Pa. Havana Seed	53	91.0	84.6	82.9	80.9	79.7	73.5
Southern Wisconsin	54	96.3	83.1	81.5	79.1	77.9	77.0
Northern Wisconsin	55	95.7	83.8	82.4	80.6	79.2	75.0
Ga. & Fla. binder	56	82.5	80.8	78.8	77.2	75.7	78.5
Connecticut Shade	61	91.1	88.7	86.3	84.4	83.0	81.5
Ga. & Fla. Shade	62	89.1	87.3	84.5	82.3	80.6	67.5

MISCELLANEOUS DOMESTIC AND FOREIGN-GROWN TYPES (71-90)

Miscellaneous Domestic	72-73	--	--	--	--	--	
Foreign-grown cigar leaf	81-84	--	--	--	--	--	5 1.333 5 1.09
Foreign-grown cigarette and smoking tobacco	90	--	--	--	--	--	5 1.205 (6)

¹ Information in this table taken from U. S. Department of Agriculture Circular 435. Tobacco Shrinkages and Losses in Handling and Storage, issued in July 1937. ² Factors for converting unstemmed stocks to farm-sales weight are adjusted on the basis of an average loss on the reported weight and should not be taken as indicative of full shrinkage after handling, sweating and storage.

³ Ohio-Miami Valley

⁴ See footnote 1 on page 5 for conversion factor to the farm-sales weight equivalent. ⁵ Tentative factor. ⁶ Factor has not been determined.

Table 2---Stocks of leaf tobacco owned by dealers and manufacturers, by types, converted to a farm-sales-weight equivalent, January 1, 1951, compared with other quarters 1/

FARM-SALES WEIGHT

Type name	U.S. type number	January 1,			October 1, 1950	July 1, 1950	April 1, 1950
		1951	1950	1949			
		1,000 lb.	1,000 lb.	1,000 lb.			
Flue cured	11-14	2,089,930	1,992,703	2,023,160	1,856,538	1,484,479	1,754,028
Virginia fire-cured	21	22,934	22,985	24,422	22,877	26,060	28,924
Tennessee and Kentucky fire-cured (Eastern District)	22	85,082	83,394	87,716	95,605*	104,573	115,430
Kentucky and Tennessee fire-cured (Western District)	23	42,405	41,213	39,284	45,847*	49,033	53,879
Henderson Stemming	24	347	312	285	345	345	362
Total Fire-cured	21-24	150,768	147,904	151,707	164,674*	180,011	198,595
Burley	31	1,119,302	1,139,960	1,111,514	996,045*	1,151,732	1,283,393
Low-nicotine	31-V	758	429	218	768	777	788
Southern Maryland	32	53,370	45,547	46,886	59,799*	52,944	38,092
Total Light Air-cured	31-32	1,173,430	1,185,936	1,158,618	1,056,612*	1,205,453	1,322,273
One Sucker	35	39,056	37,912	42,954	42,038*	46,931	50,380
Green River	36	32,860	33,556	33,797	34,750	36,831	39,240
Virginia sun-cured	37	3,138	3,328	3,517	3,052*	3,826	4,494
Total Dark Air-cured	35-37	75,054	74,796	80,268	79,840*	87,588	94,114
Pennsylvania Seedleaf	41	103,951	99,467	82,468	115,780*	128,992	140,565
Ohio Filler (Miami Valley)	42-44	27,212	23,539	22,345	28,019*	30,069	31,191
Puerto Rican:							
In United States	46	29,327	29,461	35,238	27,126*	26,471	29,358
In Puerto Rico	46	12,765	14,892	22,211	24,004	32,080	23,053
Total Cigar-Filler	41-46	173,255	167,359	162,292	194,929*	217,612	224,167
Connecticut Valley Broadleaf	51	27,738	26,601	28,881	27,746*	30,743	32,415
Connecticut Valley Havana Seed	52	25,336	23,986	21,960	24,949*	27,176	28,106
New York and Pa. Havana Seed	53	1,385	1,482	2,211	1,534	1,581	1,933
Southern Wisconsin	54	36,059	36,019	35,495	40,074*	42,626	45,494
Northern Wisconsin	55	40,298	34,551	32,568	40,754*	44,426	47,691
Georgia and Florida Binder	56	80	180	180	71	90	125
Total Cigar-Binder	51-56	130,896	122,819	121,295	135,128*	146,642	155,764
Connecticut shade	61	17,292	17,874	16,198	13,705*	13,571	15,607
Georgia and Florida shade	62	8,689	8,211	7,293	9,287*	5,872	6,862
Total Cigar-Wrapper	61-62	25,981	26,085	23,491	22,992*	19,443	22,469
Perique	72	885	786	831	756	825	916
Other Miscellaneous Domestic 2/	73	1,289	1,439	956	1,477*	1,254	1,272
Total Miscellaneous Domestic	72-73	2,174	2,225	1,787	2,233*	2,079	2,188
Cuba (Havana) 3/	81	15,055	18,853	22,919	16,398*	16,612	18,399
Sumatra and Java 3/ 4/	82	853	350	352	927	762	265
Philippine Islands (Manila) 3/	83	79	34	211	184	192	179
Other foreign-grown cigar leaf 3/	84	39	43	96	42	48	38
Total Foreign-grown Cigar-leaf 3/	81-84	16,026	19,280	23,578	17,551	17,614	18,881
Foreign-grown cigarette & smoking tobacco (Turkish & other) 3/	90	150,321	141,127	128,347	141,701	148,070	151,802
Total all types	11-90	3,987,835	3,880,234	3,874,543	3,672,198*	3,508,991	3,944,281

1/ For factor used in converting weights see table 1 except for cigar leaf. The instructions for reporting unstemmed cigar-leaf of the domestic types require dealers and manufacturers to indicate the weight basis on which the tobacco is reported, namely farm-sales-weight, marked weight, or sweat weight. The stocks are converted to the farm-sales-weight equivalent on the basis of the amount reported in these three categories. The conversion factors by types of tobacco for January 1, 1951 are as follows: Type 41, 109; Types 42-44, 114; Type 51, 107; Type 52, 106; Type 53, 112; Type 54, 106; Type 55, 107; Type 56, 123; Type 61, 108; Type 62, 113. January 1, 1951 figures subject to revision.

2/ For explanation of stocks included in this classification, see footnote 5 on page 13.

3/ Foreign-grown leaf is converted to an unstemmed equivalent basis only.

4/ Does not include Sumatra and Java leaf stored in the Free Trade Zone.

* Revisions in October 1 report.

Table 3.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, January 1, 1951, compared with October 1, 1950
 (REPORTED WEIGHT)

Type 11, Old and Middle Belt flue-cured

Group	January 1, 1951			October 1, 1950		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
A	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A	3,603	27	3,630	2,268	27	2,295
B	129,589	31,958	161,547	82,053	15,591	97,644
C	99,710	55,422	155,132	93,357	36,156	129,513
X	174,538	119,156	293,694	140,143	94,633	234,776
S	5,267	7,149	12,416	4,766	7,088	11,854
N	2,242	1,591	3,833	2,211	1,393	3,604
Total	414,949	215,303	630,252	324,798	154,888	479,686

Type 12, Eastern North Carolina flue-cured

A	1,112	-	1,112	942	-	942
B	69,239	34,032	104,383	53,628	27,950	81,578
C	62,949	52,966	115,915	60,757	45,330	106,087
X	166,908	126,873	293,781	154,938	108,180	263,118
S	3,146	3,358	6,504	2,737	3,475	6,212
N	4,132	1,014	5,146	2,905	981	3,886
Total	307,486	218,243	525,729	275,907	185,916	461,823

Type 13, South Carolina flue-cured (including southeastern North Carolina)

A	1,514	151	1,665	1,307	-	1,307
B	40,628	15,585	56,213	40,560	13,253	53,813
C	54,381	40,461	94,842	59,938	39,726	99,664
X	117,183	71,262	188,445	126,200	73,554	199,754
S	1,204	1,755	2,959	1,094	1,652	2,746
N	2,643	152	2,795	1,961	290	2,251
Total	217,553	129,366	346,919	231,060	128,475	359,535

Type 14, Georgia and Florida flue-cured

B	10,948	11,298	22,246	12,214	12,257	24,471
C	1,356	57,234	58,590	2,107	63,686	65,793
X	6,544	73,015	79,559	4,768	79,874	84,642
S	572	1,577	2,149	573	1,550	2,123
N	810	509	1,319	2,044	618	2,662
Total	20,230	143,633	163,863	21,706	157,985	179,691

Types 11-14, Total flue-cured

A	6,229	178	6,407	4,517	27	4,544
B	250,404	92,873	343,277	188,455	69,051	257,506
C	218,396	206,083	424,479	216,159	184,898	401,057
X	465,173	390,306	855,479	426,049	356,241	782,290
S	10,189	13,839	24,028	9,170	13,765	22,935
N	9,827	3,266	13,093	9,121	3,282	12,403
Total	960,218	706,545	1,666,763	853,471	627,264	1,480,735

See footnotes at end of table.

Continued .

Table 3.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, January 1, 1951, compared with October 1, 1950 - Cont'd.
(REPORTED WEIGHT)

Type 21, Virginia fire-cured

Group	January 1, 1951 1/			October 1, 1950		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A	450	-	450	437	-	437
B	10,114	6	10,120	9,918	15	9,933
C	2,745	2	2,747	2,842	5	2,847
X	5,790	148	5,938	5,932	90	6,022
S	107	3	110	105	4	109
N	23	-	23	5	-	5
Total	19,229	159	19,388	19,239	114	19,353

Type 22, Tennessee and Kentucky fire-cured (Eastern District)

A	4,033	64	4,097	4,293	64	4,357
B	47,635	312	47,947	52,901*	289	53,190*
C	5,127	58	5,185	6,736	59	6,795
X	23,369	1	23,370	26,333	1	26,334
S	549	6	555	613	4	617
N	517	-	517	503	-	503
Total	81,230	441	81,671	91,379*	417	91,796*

Type 23, Kentucky and Tennessee fire-cured (Western District)

A	222	-	222	222	-	222
B	20,962	5	20,967	21,908	12	21,920
C	4,719	14	4,733	5,911	20	5,931
X	13,318	16	13,334	14,362	16	14,378
S	378	22	400	444*	1	445*
N	1,100	-	1,100	1,173	-	1,173
Total	40,699	57	40,756	44,020*	49	44,069*

Type 24, Henderson Stemming

A	2	-	2	2	-	2
B	104	-	104	104	-	104
C	40	-	40	40	-	40
X	131	-	131	130	-	130
N	31	-	31	31	-	31
Total	308	-	308	307	-	307

Types 21-24, Total fire-cured

A	4,707	64	4,771	4,954	64	5,018
B	78,815	323	79,138	84,831*	316	85,147*
C	12,631	74	12,705	15,529	84	15,613
X	42,608	165	42,773	46,757	107	46,864
S	1,034	31	1,065	1,162*	9	1,171*
N	1,671	-	1,671	1,712	-	1,712
Total	141,466	657	142,123	154,945*	580	155,525*

See footnotes at end of table.

Continued -

Table 3.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, January 1, 1951, compared with October 1, 1950 - Cont'd
(REPORTED WEIGHT)

Type 31, Burley

Group	January 1, 1951 1/			October 1, 1950		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A	2,020	-	2,020	1,589	-	1,589
B (Bright)	80,109	38,821	118,930	82,503*	34,266	116,769*
B (Red)	52,201	11,868	64,069	50,380*	11,153	61,533*
T (Bright)	38,624	6,405	45,029	35,105	7,590	42,695
T (Red)	64,910	10,045	74,955	59,115	9,606	68,721
C	288,621	114,246	402,867	233,884	107,510	341,394
X	149,263	45,278	194,541	123,021	42,289	165,310
S	4,391	6,556	10,947	4,735	6,957	11,692
N	2,615	1,143	3,758	839	1,321	2,160
Total	682,754	234,362	917,116	591,171*	220,692	811,863*

Type 31-V, Low-Nicotine

Total	332	255	587	:	335	260	595
-------	-----	-----	-----	---	-----	-----	-----

Type 32, Southern Maryland

B	:	12,540	5	12,545	:	12,527*	2	12,529*
C	:	13,761	12,435	26,196	:	18,086	12,824	30,910
X	:	4,624	409	5,033	:	5,160	454	5,614
S	:	278	753	1,031	:	302	465	767
N	:	2,727	13	2,740	:	3,963	14	3,977
Total	:	33,930	13,615	47,545	:	40,038*	13,759	53,797*

Type 35, One Sucker

A	:	2,247	-	2,247	:	1,442	-	1,442
B	:	13,967	5	13,972	:	15,465*	41	15,506*
C	:	5,539	5	5,544	:	6,392*	7	6,399*
X	:	10,792	411	11,203	:	11,432	523	11,955
S	:	1,283	5	1,288	:	1,187*	1	1,188*
N	:	894	350	1,244	:	968	604	1,572
Total	:	34,722	776	35,498	:	36,886*	1,176	38,062*

Type 36, Green River

A	:	279	30	309	:	443	22	465
B	:	14,433	183	14,616	:	15,193	211	15,404
C	:	2,922	2	2,924	:	2,628	2	2,630
X	:	9,411	759	10,170	:	10,258	608	10,866
S	:	77	24	101	:	69	49	118
N	:	408	180	588	:	732	194	926
Total	:	27,530	1,178	28,708	:	29,323	1,086	30,409

Type 37, Virginia sun-cured

A	:	115	-	115	:	112	-	112
B	:	942	58	1,000	:	907	52	959
C	:	295	9	304	:	378*	-	378*
X	:	929	244	1,173	:	839	257	1,096
S	:	84	1	85	:	58*	-	58*
N	:	1	-	1	:	-	-	-
Total	:	2,366	312	2,678	:	2,294*	309	2,603*

See footnotes at end of table.

Continued -

Table 3.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, January 1, 1951, compared with October 1, 1950 - Cont'd.
(REPORTED WEIGHT)

Types 35-37, Total dark air-cured

Group	January 1, 1951 1/			October 1, 1950		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
A	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A	2,641	30	2,671	1,997	22	2,019
B	29,342	246	29,588	31,565*	304	31,869*
C	8,756	16	8,772	9,398*	9	9,407*
X	21,132	1,414	22,546	22,529	1,388	23,917
S	1,444	30	1,474	1,314*	50	1,364*
N	1,303	530	1,833	1,700	798	2,498
Total	64,618	2,266	66,884	68,503*	2,571	71,074*

Type 41, Pennsylvania Seedleaf

B	2,985	9	2,994	5,119*	27*	5,146*
C	73,567	2,248	75,815	81,592	2,335	83,927
X	9,633	693	10,326	10,742	746	11,488
Y	3,025	306	3,331	3,643	305	3,948
S	39	1,134	1,173	23	944	967
N	27	2	29	35	5	40
Total	89,276	4,392	93,668	101,154*	4,362*	105,516*

Types 42-44, Ohio Filler (Miami Valley)

C	19,715	115	19,830	20,598	111	20,709
X	1,278	531	1,809	1,427	460	1,887
Y	852	706	1,558	906	684	1,590
S	-	105	105	1	87*	88*
N	-	3	3	-	2	2
Total	21,845	1,460	23,305	22,932	1,344*	24,276*

Type 46, Puerto Rican (In Continental United States)

C	108	13,285	13,393	66	13,159*	13,225*
X	5,008	707	5,715	3,328	495	3,823
Y	437	18	455	971	21	992
S	25	1,273	1,298	15	1,071*	1,086*
N	-	2	2	-	3	3
Total	5,578	15,285	20,863	4,380	14,749*	19,129*

Type 46, Puerto Rican (In Puerto Rico)

C	808	460	1,268	5,010	919	5,929
X	1,219	1,320	2,539	3,047	1,130	4,177
Y	3,854	741	4,595	7,330	671	8,001
S	409	367	776	145	303	448
N	938	-	938	1,127	2	1,129
Total	7,228	2,888	10,116	16,659	3,025	19,684

Type 46, Total Puerto Rican

C	916	13,745	14,661	5,076	14,078*	19,154*
X	6,227	2,027	8,254	6,375	1,625	8,000
Y	4,291	759	5,050	8,301	692	8,993
S	434	1,640	2,074	160	1,374*	1,534*
N	938	2	940	1,127	5	1,132
Total	12,806	18,173	30,979	21,039	17,774*	38,813*

See footnotes at end of table.

Continued -

Table 3.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, January 1, 1951, compared with October 1, 1950 - Cont'd
 (REPORTED WEIGHT)

Type 51, Connecticut Valley Broadleaf

Group	January 1, 1951 1/			October 1, 1950		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	: 1,000 lb.	1,000 lb.	1,000 lb.	: 1,000 lb.	1,000 lb.	1,000 lb.
A	: 1,659	1	1,660	: 1,289	1	1,290
B	: 21,023	79	21,102	: 21,099*	107	21,206*
C	: 346	-	346	: 401	-	401
X	: 2,223	153	2,376	: 2,162	131	2,293
S	: 1	283	284	: 6	289	295
N	: 2	2	4	: 292	-	292
Total	: 25,254	518	25,772	: 25,249*	528	25,777*

Type 52, Connecticut Valley Havana Seed

A	: 1,084	2	1,086	: 942*	2	944*
B	: 19,440	69	19,509	: 18,968*	92	19,060*
C	: 506	-	506	: 353	-	353
X	: 2,468	141	2,609	: 2,547	126	2,673
S	: 9	85	94	: 6	100	106
N	: 9	-	9	: 85	-	85
Total	: 23,516	297	23,813	: 22,901*	320	23,221*

Type 53, New York and Pennsylvania Havana Seed

B	: 562	-	562	: 527	3	530
X	: 673	-	673	: 823	-	823
S	: 1	1	2	: 1	11	12
Total	: 1,236	1	1,237	: 1,351	14	1,365

Type 54, Southern Wisconsin

B	: 7,535	3	7,538	: 7,938*	4	7,942*
C	: 840	5	845	: 121	-	121
X	: 21,458	3,197	24,655	: 25,262	3,418	28,680
S	: 4	11	15	: 1	26	27
N	: -	-	-	: 2	-	2
Total	: 29,837	3,216	33,053	: 33,324*	3,448	36,772*

Type 55, Northern Wisconsin

B	: 16,475	126	16,601	: 15,972*	279	16,251*
C	: 2,155	186	2,341	: 1,458	59	1,517
X	: 17,352	579	17,931	: 19,689	410	20,099
S	: -	369	369	: -	244	244
N	: -	-	-	: -	4	4
Total	: 35,982	1,260	37,242	: 37,119*	996	38,115*

Type 56, Georgia and Florida binder

B	: 62	2	64	: 50	4	54
S	: -	-	-	: -	2	2
Total	: 62	2	64	: 50	6	56

See footnotes at end of table.

Continued

Table 3.--Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, January 1, 1951, compared with October 1, 1950-- Cont'd.
(REPORTED WEIGHT)

Type 61, Connecticut Shade

Group	January 1, 1951 1/			October 1, 1950		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
A	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
A	14,840	321	15,161	11,838*	11	11,849*
B	474	1	475	363*	6	368*
C	149	-	149	68	-	68
S	90	47	137	-	137	137
N	5	1	6	-	1	1
Total	15,558	370	15,928	12,269*	155	12,424*

Type 62, Georgia and Florida Shade

A	7,217	261	7,478	8,441*	8	8,449*
B	58	-	58	105*	-	105*
C	5	-	5	8	-	8
S	-	74	74	-	94	94
N	5	-	5	-	2	2
Total	7,285	335	7,620	8,554*	104	8,658*

SUMMARY ALL CIGAR TOBACCO 2/

January 1, 1951

Group	Filler	Binder	Wrapper	Foreign	Total
	Types	Types	Types	Types	
	41-46 3/	51-56	61-62	81-84 4/	
A	1,000 lb.				
A	-	2,746	22,639	1,490	26,875
B	2,994	65,376	533	-	68,903
C	110,306	4,038	154	9,046	123,544
X	20,389	48,244	-	-	68,633
Y	9,939	-	-	-	9,939
S	3,352	764	211	3,635	7,962
N	972	13	11	-	996
Total	147,952	121,181	23,548	14,171	306,852

October 1, 1950

A	-	2,234*	20,298*	1,473*	24,005*
B	5,146*	65,043*	474*	-	70,663*
C	123,790*	2,392	76	9,944*	136,202*
X	21,375	54,568	-	-	75,943
Y	14,531	-	-	-	14,531
S	2,589*	686	231	3,960*	7,466*
N	1,174	383	3	-	1,560
Total	168,605*	125,306*	21,082*	15,377*	330,370*

See footnotes at end of table.

Continued -

Table 3.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, January 1, 1951, compared with October 1, 1950 - Cont'd
(REPORTED WEIGHT)

Type 72, Perique

Group	January 1, 1951 1/			October 1, 1950		
	Unstemmed	Stemmed	Total	Unstemmed	Stemmed	Total
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.
Total	-	609	609	-	521	521

Type 73, Other miscellaneous domestic 5/

Total	530	490	1,020 :	375	735	1,110*
-------	-----	-----	---------	-----	-----	--------

Types 72-73, Total miscellaneous domestic

Total	530	1,099	1,629 :	375	1,256*	1,631*
-------	-----	-------	---------	-----	--------	--------

Type 81, Cuba (Havana)

A	624	40	664 :	497*	58	555*
C	2,163	6,757	8,920 :	1,993*	7,730*	9,723*
S	1,419	2,206	3,625 :	1,192	2,765*	3,957*
Total	4,206	9,003	13,209 :	3,682*	10,553*	14,235*

Type 82, Sumatra and Java 6/

A	826	-	826 :	918	-	918
C	7	7	14 :	5	-	5
S	-	10	10 :	-	3	3
Total	833	17	850 :	923	3	926

Type 83, Philippine Islands (Manila)

C	54	21	75 :	135	41	176
---	----	----	------	-----	----	-----

Type 84.-Other foreign-grown cigar-leaf

Total	27	10	37 :	30	10	40
-------	----	----	------	----	----	----

Type 90.-Foreign-grown cigarette and smoking tobacco (Turkish and other)

Total	150,321	-	150,321 :	141,701	-	141,701
-------	---------	---	-----------	---------	---	---------

Types 11-90, Total all types

Total	2,301,946	997,874	3,299,820 :	2,141,251*	906,040*	3,047,291*
-------	-----------	---------	-------------	------------	----------	------------

See footnotes at end of table.

Continued -

Table 3.-Stocks of leaf tobacco, by types and groups of grades, owned by dealers and manufacturers, January 1, 1951, compared with October 1, 1950 - Cont'd.
(REPORTED WEIGHT)

- 1/ Subject to revision.
- 2/ Most of the stocks in the X and Y groups will go into scrap chewing manufacture as well as part of that included in the scrap group.
- 3/ Includes Puerto Rican on the Island, Type 46.
- 4/ Type 84.-Other foreign-grown all shown in the C group.
- 5/ Although Type 73 is defined as all domestic types of tobacco not otherwise classified, the bulk of the stocks reported in this type consists of cuttings, clippings, and trimmings. This is the result, in most instances, of the inability of reporters to designate cuttings, clippings, and trimmings in the "S" group of the types to which they properly belong.
- 6/ Does not include Sumatra and Java leaf stored in the Free Trade Zone.

* Revisions in October 1 report.

Table 4.—Stocks of leaf tobacco by types, showing separately quantities owned by dealers and manufacturers,
January 1, 1951, compared with January 1, 1950 1/

REPORTED WEIGHT

U.S. type number	Reported as owned by manufacturers 2/				Reported as owned by dealers 2/				Combined totals January 1, 1951	
	January 1, 1951		January 1, 1950		January 1, 1951		January 1, 1950			
	Unstemmed	Stemmed	Total	1950	Unstemmed	Stemmed	Total	1950		
	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	1,000 lb.	
11	295,863	202,490	498,353	507,589	119,086	12,813	131,899	123,965	630,252	
12	228,358	207,472	435,830	403,223	79,128	10,771	89,899	84,057	525,729	
13	168,386	123,538	291,924	278,725	49,167	5,828	54,995	54,887	346,919	
14	1,721	137,334	139,055	138,855	18,509	6,299	24,808	30,660	163,863	
11-14	694,328	670,834	1,365,162	1,328,392	265,890	35,711	301,601	293,569	1,666,763	
21	11,743	157	11,900	12,175	7,486	2	7,488	7,247	19,388	
22	48,162	310	48,472	44,225	33,068	131	33,199	35,831	81,671	
23	10,151	33	10,184	9,587	30,548	24	30,572	30,008	40,756	
24	-	-	-	6	308	-	308	269	308	
21-24	70,056	500	70,556	65,993	71,410	157	71,567	73,355	142,123	
31	568,065	230,061	798,126	780,329	114,689	4,301	118,990	167,279	917,116	
31-V	332	255	587	293	-	-	-	-	587	
32	18,528	13,585	32,113	29,210	15,402	30	15,432	10,524	47,545	
31-32	586,925	243,901	830,826	809,832	130,091	4,331	134,422	177,803	965,248	
35	18,113	568	18,681	16,673	16,609	208	16,817	17,950	35,498	
36	16,286	942	17,228	17,307	11,244	236	11,480	12,135	28,708	
37	2,155	312	2,467	2,487	211	-	211	358	2,678	
35-37	36,554	1,822	38,376	36,467	28,064	444	28,508	30,443	66,884	
41	82,135	4,146	86,281	77,637	7,141	246	7,387	11,371	93,668	
42-44	19,770	1,423	21,193	18,653	2,075	37	2,112	1,676	23,305	
46 3/	3,503	14,740	18,243	20,574	9,303	3,133	12,736	11,669	30,979	
41-46	105,408	20,309	125,717	116,864	18,519	3,716	22,235	24,746	147,952	
51	17,826	497	18,323	19,215	7,428	21	7,449	5,516	25,772	
52	18,689	257	18,946	17,001	4,827	40	4,867	5,542	23,813	
53	1,225	1	1,226	1,179	11	-	11	117	1,237	
54	26,059	3,153	29,212	30,556	3,778	63	3,841	2,375	33,053	
55	30,337	953	31,290	27,031	5,645	307	5,952	5,174	37,242	
56	41	2	43	143	21	-	21	2	64	
51-56	94,177	4,863	99,040	95,125	21,710	431	22,141	18,726	121,181	
61	8,575	370	8,945	9,248	6,983	-	6,983	7,430	15,928	
62	3,320	268	3,588	3,553	3,965	67	4,032	3,697	7,620	
61-62	11,895	638	12,533	12,801	10,948	67	11,015	11,127	23,548	
72	-	395	395	334	-	214	214	207	609	
73 4/	344	487	831	865	186	3	189	209	1,020	
72-73	344	882	1,226	1,199	186	217	403	416	1,629	
81	3,987	8,629	12,616	15,617	219	374	593	845	13,209	
82 5/	750	17	747	302	103	-	103	48	850	
83	54	5	59	28	-	16	16	3	75	
84	-	1	1	10	27	9	36	31	37	
81-84	4,771	8,652	13,423	15,957	349	399	748	927	14,171	
90	143,305	-	143,305	136,231	7,016	-	7,016	4,896	150,321	
11-90	1,747,763	952,401	2,700,164	2,618,861	554,183	45,473	599,656	636,008	3,299,820	

1/ These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners subject to provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the 72nd and 74th Congress. The quantities owned by dealers and manufacturers have been tabulated separately on a type total basis.

2/ The quantities shown as owned by manufacturers include tobacco which is held under dealer registries of manufacturers and also tobacco held by dealers and known to be purchased on order for foreign or domestic manufacturers. The quantities shown as owned by dealers may include some tobacco held by dealers which is earmarked for sale to domestic manufacturers or for export. The tables should therefore be considered as representing only the approximate quantities owned respectively by dealers and manufacturers.

3/ Includes stocks on the Island of Puerto Rico.

4/ For explanation of stocks included in this classification see footnotes 5 on page 13.

5/ Does not include Sumatra and Java leaf stored in the Free Trade Zones.

Table 5.-Stocks of leaf tobacco owned by dealers and manufacturers, summary by types, January 1, 1951 compared with other quarters 1/

REPORTED WEIGHT

Type name	U.S.	January 1, 1951 2/			October 1, 1950	January 1, 1950	October 1, 1949			
		type	Unstemmed	Stemmed						
					1,000 lb.	1,000 lb.	1,000 lb.			
Old and Middle Belt flue-cured	11	414,949	215,303	630,252	479,686	631,554	532,638			
Eastern North Carolina flue-cured	12	307,486	218,243	525,729	461,823	487,280	494,486			
South Carolina flue-cured (including Southeastern N.C.)	13	217,553	129,366	346,919	359,535	333,612	377,393			
Georgia and Florida flue-cured	14	20,230	143,633	163,863	179,691	169,515	190,953			
Total Flue-cured	11-14	960,218	706,545	1,666,763	1,480,135	1,621,961	1,595,470			
Virginia fire-cured	21	19,229	159	19,388	19,353	19,422	18,398			
Tennessee and Kentucky fire-cured (Eastern District)	22	81,230	441	81,671	91,796*	80,056	87,794			
Kentucky and Tennessee fire-cured (Western District)	23	40,699	57	40,756	44,069*	39,595	41,952			
Henderson Stemming	24	308	-	308	307	275	263			
Total Fire-cured	21-24	141,466	657	142,123	155,525*	139,348	148,407			
Burley	31	682,754	234,362	917,116	811,863*	947,608	806,290			
Low-nicotine	31-V	332	255	587	595	293	299			
Southern Maryland	32	33,930	13,615	47,545	53,797*	39,734	47,462			
Total Light Air-cured	31-32	717,016	248,232	965,248	866,255*	987,635	854,051			
One Sucker	35	34,722	776	35,498	38,062*	34,623	35,422			
Green River	36	27,530	1,178	28,708	30,409	29,442	28,211			
Virginia sun-cured	37	2,366	312	2,678	2,603*	2,845	2,727			
Total Dark Air-cured	35-37	64,618	2,266	66,884	71,074*	66,910	66,360			
Pennsylvania Sesdleaf	41	89,276	4,392	93,668	105,516*	89,008	95,997			
Ohio Filler (Miami Valley)	42-44	21,845	1,460	23,305	24,276*	20,329	22,381			
Puerto Rican:										
In United States	46	5,578	15,285	20,863	19,129*	20,558	17,562			
In Puerto Rico	46	7,228	2,888	10,116	19,684	11,715	22,488			
Total Cigar-Filler	41-46	123,927	24,025	147,952	168,605*	141,610	158,428			
Connecticut Valley Broadleaf	51	25,254	518	25,772	25,777*	24,731	24,594			
Connecticut Valley Havana Seed	52	23,516	297	23,813	23,221*	22,543	18,400			
New York and Pa. Havana Seed	53	1,236	1	1,237	1,365	1,296	1,502			
Southern Wisconsin	54	29,837	3,216	33,053	36,772*	32,931	36,504			
Northern Wisconsin	55	35,982	1,260	37,242	38,115*	32,205	32,862			
Georgia and Florida Binder	56	62	2	64	56	145	203			
Total Cigar-Binder	51-56	115,887	5,294	121,181	125,306*	113,851	114,065			
Connecticut shade	61	15,558	370	15,928	12,424*	16,678	12,084			
Georgia and Florida shade	62	7,285	335	7,620	8,658*	7,250	8,012			
Total Cigar-Wrapper	61-62	22,843	705	23,548	21,082*	23,928	20,096			
Perique	72	-	609	609	521	541	539			
Other Miscellaneous Domestic 3/	73	530	490	1,020	1,110*	1,074	3,275			
Total Miscellaneous Domestic	72-73	530	1,099	1,629	1,631*	1,615	3,814			
Cuba (Havana)	81	4,206	9,003	13,209	14,235*	16,462	17,042			
Sumatra and Java 4/	82	833	17	850	926	350	451			
Philippine Islands (Manila)	83	54	21	75	176	31	159			
Other foreign-grown cigar-leaf	84	27	10	37	40	41	66			
Total Foreign-grown Cigar-leaf	81-84	5,120	9,051	14,171	15,377*	16,884	17,718			
Foreign-grown cigarette and smoking tobacco (Turkish and other)	90	150,321	-	150,321	141,701	141,127	134,232			
Total all types	11-90	2,301,946	997,874	3,299,820	3,047,291*	3,254,869	3,112,641			

1/ These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, quasi-manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners except (a) the original growers of tobacco; (b) manufacturers who in the first three quarters of 1950, according to the returns of the Commissioner of Internal Revenue, manufactured less than 35,000 pounds of tobacco, less than 185,000 cigars, or less than 750,000 cigarettes, pursuant to the provisions of the Tobacco Stocks and Standards Act approved January 14, 1929, and the amendments thereto passed in the 72nd and 74th Congress.

2/ Subject to revision.

3/ For explanation of stocks included in this classification see footnote 5 on page 13.

4/ Does not include Sumatra and Java leaf stored in the Free Trade Zone.

* Revisions in October 1 report.

